

20. A method for policy-based billing for a network session, comprising:

- (a) receiving a plurality of packets at a plurality of analyzers;
- (b) aggregating the plurality of packets;
- (c) analyzing the plurality of packets to identify a plurality of flows;
- (d) identifying a session associated with the flows;
- (e) identifying at least one application associated with the session;
- (f) reconstructing the session utilizing the identified application;
- (g) identifying a user associated with the session;
- (h) determining a policy; and
- (i) billing the user for the session in accordance with the policy.

21. The method as recited in claim 20, and further comprising filtering the packets for removing packets unrelated to the session.

22. The method as recited in claim 20, and further comprising identifying application events associated with the session based on the policy.

23. The method as recited in claim 22, and further comprising assigning a significance to the application events based on the policy.

24. The method as recited in claim 22, wherein the user is billed for the session utilizing the application events in accordance with the policy.

25. The method as recited in claim 22, and further comprising determining billing information for the session using the application events in accordance with the policy.

26. The method as recited in claim 25, and further comprising outputting a report including the billing information in accordance with the policy.

27. The method as recited in claim 20, and further comprising restricting tasks of the user in accordance with the policy.

28. The method as recited in claim 27, wherein an amount of bandwidth is restricted in accordance with the policy.

29. The method as recited in claim 20, wherein the policy includes a series of packet capture language expressions and output selectors.

30. A computer program product for policy-based billing for a network session, comprising:

- (a) computer code for receiving a plurality of packets at a plurality of analyzers;
- (b) computer code for aggregating the plurality of packets;
- (c) computer code for analyzing the plurality of packets to identify a plurality of flows;
- (d) computer code for identifying a session associated with the flows;
- (e) computer code for identifying at least one application associated with the session;
- (f) computer code for reconstructing the session utilizing the identified application;
- (g) computer code for identifying a user associated with the session;
- (h) computer code for determining a policy; and
- (i) computer code for billing the user for the session in accordance with the policy.

31. The computer program product as recited in claim 30, and further comprising computer code for filtering the packets for removing packets unrelated to the session.

32. The computer program product as recited in claim 30, and further comprising computer code for identifying application events associated with the session based on the policy.

33. The computer program product as recited in claim 32, and further comprising computer code for assigning a significance to the application events based on the policy.

